

Half Yearly Compliance Report**2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name	Development of Greenfield Jewar International Airport Phase-I and II, Gautam Buddh Nagar, Uttar Pradesh		
Name of Entity / Corporate Office	Yamuna International Airport Private Limited		
Village(s)	N/A		
District	GAUTAM BUDDHA NAGAR		
Proposal No.	IA/UP/MIS/74694/2018	Category	INFRA-2
	Plot / Survey / Khasra No.	Sub-District	N/A
	N/A	Entity's PAN	*****2047B
	State	Entity name as per PAN	YAMUNA INTERNATIONAL AIRPORT PRIVATE LIMITED
MoEF File No.	10-31/2018-IA-III		

Compliance Reporting Details**Reporting Year** 2026**Remarks (if any)**

All applicable compliance requirements for the reporting period have been complied with and reported accordingly. Compliance status for the reporting period (01 Oct 2025 to 31 Mar 2026) is submitted as per applicable conditions. The compliance report for the reporting period has been prepared and submitted in accordance with the stipulated requirements. No specific remarks. Compliance details have been furnished for the reporting period. Compliance reporting for the period 01 Oct 2025 to 31 Mar 2026 has been completed as per applicable conditions.

Reporting Period 01 Jun(01 Oct - 31 Mar)**Details of Production and Project Area****Name of Entity / Corporate Office** Yamuna International Airport Private Limited

	Project Area as per EC Granted	Actual Project Area in Possession
Private	1239.14	1239.14
Revenue Land	94.86	94.86
Forest	0	0
Others	0	0
Total	1334	1334

Others Area

Sr. no	Other Name	Area Granted	Area Actual
1	Private Land (ha.)	1239.1416	1239.1416
2	Government Land (ha.)	94.8584	94.8584
3	Forest Land (ha.)	0	0

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Not Applicable	Others:Not Applicable	31/12/2026	Not Applicable	Not Applicable	Not Applicable

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Miscellaneous	As proposed, Environmental Clearance is for 'Development of Greenfield Jewar International Airport' Phase-I and II, Gautam Buddh Nagar, Uttar Pradesh by M/s Directorate of Civil Aviation, Government of Uttar Pradesh.
PPs Submission: Complied EC granted for Phase I and II development of Greenfield, Jewar International Airport.		Date: 16/06/2026
2	Miscellaneous	The land acquisition / purchase shall be in conformity to the LARR Act, 2013 and any other laws and regulations governing land acquisition.
PPs Submission: Complied Land acquisition has been carried out in conformity with provisions of the LARR Act, 2013.		Date: 16/06/2026
3	Miscellaneous	Clearance from Directorate General of Civil Aviation (DGCA) and Airports Authority of India (AAI) for safety and project facilities shall be obtained.

PPs Submission: Complied Clearance from Directorate General of Civil Aviation (DGCA) and Airports Authority of India (AAI) for safety and project facilities has obtained on 06.03.2026 Application Id 2025-26/AeSD/PublicUseAerodrome/0000003699.		Date: 16/06/2026
4	Miscellaneous	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
PPs Submission: Complied Consent to Establish (CTE) obtained from UPPCB vide Ref. No. 203970/UPPCB/Greater Noida/CTE dated 14.10.2024 with validity upto 05/08/2029. Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA no- 254936/UPPCB/Greater Noida (UPPCBRO)/CTO/both/Greater Noida/2025 (Consolidated Consent and authorization) with validity upto 31/12/2026.		Date: 16/06/2026
5	Miscellaneous	Conservation plan for Birds and Fauna in consultation with Wildlife Institute of India (WII) shall be submitted within six month from grant of this clearance and shall be implemented in letter and spirit.
PPs Submission: Complied Completed. Conservation plan prepared in consultation with WII and submitted.		Date: 16/06/2026
6	Miscellaneous	Notification GSR 94(E) dated 25.01.2018 of MoEF and CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities shall be complied with.
PPs Submission: Complied Dust mitigation plan prepared and measures (sprinkling, covers, barricades) implemented at site.		Date: 16/06/2026
7	Miscellaneous	Total water requirement is estimated as 17267.5 KLD, while fresh water requirement will be 3040.8 KLD. The water for the project during operation and construction phase will be drawn from Jewar distributary and Kasna STP located at Greater Noida. As proposed, no ground water shall be used in the project.
PPs Submission: Complied As on 31 March 2026, operations yet to begin however the limits mentioned in EC shall be adhered. For Construction phase: STP treated water is being used. No Ground water is used for construction purposes.		Date: 22/06/2026
8	Miscellaneous	Aircraft maintenance, sensitivity of the location where activities are undertaken, and control of runoff of potential contaminants, chemicals etc shall be properly implemented and reported.
PPs Submission: Complied Drainage plan with 2 oil-water separators completed within project Site		Date: 16/06/2026
9	Miscellaneous	Waste water generated from the Airport will be treated in Sewage Treatment Plant of 12 MLD capacity. Treated waste water will be used for landscaping and flushing. There will be zero discharge of treated waste water from airport.
PPs Submission: Complied		Date:

Same shall be adhered during operation phase. STP of 4.5 MLD with SBR technology has installed.		16/06/2026
10	Miscellaneous	During construction and operational phase ambient air quality (AAQ) monitoring should include PM10, PM2.5, SO2, NOx, NH3, CO, CH4 and Benzene.
PPs Submission: Complied Regular AAQ monitoring is conducted during construction. Sample report is enclosed.		Date: 16/06/2026
11	Miscellaneous	During airport operation period, noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. A monitoring station for ambient air and noise levels shall be provided in the village nearest to the airport.
PPs Submission: Complied A Continuous Ambient Air Quality Monitoring Station (CAAQMS) has been established outside the airport boundary at Dayantpur Village ensuring independent and representative monitoring of ambient air quality in nearby communities. The station monitors key parameters, including PM2.5, PM10, SO2, NO2, NH3 and CO, in accordance with regulatory guidelines. Monitoring data is periodically reviewed against National Ambient Air Quality Standards (NAAQS) and baseline values. Any deviations are addressed through corrective and preventive actions, reinforcing a data-driven approach to air quality management.		Date: 16/06/2026
12	Miscellaneous	Traffic Management Plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time. Traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
PPs Submission: Complied Shall be ensured.		Date: 16/06/2026
13	Miscellaneous	An onsite disaster management plan shall be drawn up to account for risks and accidents. This onsite plan shall be dovetailed with the onsite management plan for the district.
PPs Submission: Complied Onsite DMP has been prepared and implemented.		Date: 16/06/2026
14	Miscellaneous	Top soil shall be separately stored and used in the development of green belt.
PPs Submission: Complied Topsoil preserved and reused for plantation/landscaping.		Date: 16/06/2026

15	Miscellaneous	Green belt shall be developed in area as provided in project details, with native tree species in accordance with Forest Department. The greenbelt shall inter-alia cover the entire periphery of the Airport. Plantation activity should be taken up under the expert guidance for forest department of Government of Uttar Pradesh. As far as possible monocultural plantation should be avoided.
PPs Submission: Complied Green cover development as per the guidance given. As per EC, 10 percentage (133.3 HA against 1334 HA total area) development is mandated, however we are targeting 11.7 percentage. Plantation activities are ongoing but we have achieved mandatory 10 percentage (136 HA against 133.4 HA including undisturbed green cover) Many tree species are planted such as: Azadirachta indica, Chukrasia tabularis, Alstonia scholaris, Melia azedarach, Jacaranda mimosifolia etc to avoid monocultural plantation.		Date: 16/06/2026
16	Miscellaneous	The plantation species in and around Airport site should be carefully chosen to avoid bird nesting and to improve pollution control and noise control measures. Water intensive and/or invasive species should not be used for landscaping.
PPs Submission: Complied Appropriate non-invasive, non-water-intensive species such as Azadirachta indica, Chukrasia tabularis, Alstonia scholaris, Melia azedarach, Jacaranda mimosifolia etc considered.		Date: 16/06/2026
17	Miscellaneous	The proposed 10 times compensatory plantation need to be monitored by the Government of Uttar Pradesh so that the target of planting 1,12,820 saplings is achieved in a time bound manner, their survival rate is monitored and mortality is replenished. In case of non-survival of any transplanted tree, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree) shall also be done and maintained.
PPs Submission: Complied Funds amounting to Rs. 2,63,95,718 (for compensatory afforestation) and tree felling charges have been transferred to the Forest Department (vide cheque nos. 275502 and 275503 dated 13.12.2019). Compensatory afforestation carried out as per the approved plan under Forest Department supervision. Total tree plantation done 121820 nos.		Date: 22/06/2026
18	Miscellaneous	A water security plan to the satisfaction of the CGWA shall be drawn up to include augmenting water supply and sanitation facilities and recharge of ground water in at least two villages and schools, as part of the C.S.R. activities.
PPs Submission: Complied projects related to water conservation shall be undertaken as part of the Companys CSR initiatives.		Date: 16/06/2026
19	Miscellaneous	Energy conservation measures like installation of LED should be integral part of the project design and should be in place before project commissioning.
PPs Submission: Complied All lights at the Airport are LED lights, which are aligned with the EC requirements adopted in the design.		Date: 16/06/2026
20	Miscellaneous	Initiatives such as Green Infrastructure Development program, adoption of less emission intensive technologies, renewable energy program, electrical vehicles and Airport Carbon Accreditation need to be adopted to reduce its impact on climate change and Green House Gas (GHG) emissions as per

		environmental best practices governing Greenfield airports.
PPs Submission: Complied A 14.5 MW Solar Park installation has been completed, and renewable energy generation has commenced. Solar lights installation: Electric Vehicles procured and EV charging Station Airport Carbon Accreditation needs operational data, thus, will be undertaken post operations. Complied		Date: 16/06/2026
21	Miscellaneous	Provision of Electro-mechanical doors for toilets meant for disabled passengers shall be ensured. Children nursing/feeding room shall be located conveniently near arrival and departure gates.
PPs Submission: Complied Incorporated in design and implemented.		Date: 16/06/2026
22	Miscellaneous	The project proponent shall comply with the International Best Practices on environment management as applicable to the Airport project.
PPs Submission: Complied Adopted measures include ISO certification, Utilization of LC3 cement, Nanogence catalyst, IGBC Green Building certification, solar/smart lighting, is being done at the Airport.		Date: 16/06/2026
23	Miscellaneous	The company shall draw up and implement a Corporate Social Responsibility Plan as per the Company's Act of 2013.
PPs Submission: Complied Implemented. CSR Policy and Committee formed and undertaken activities under CSR. Refer https://niairport.in/wp-content/uploads/2023/11/Composition-of-Corporate-Social-Responsibility-Committee.pdf https://niairport.in/wp-content/uploads/2024/01/CSR-Policy-YIAPL.pdf		Date: 16/06/2026
24	Miscellaneous	As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 01.05.2018, and proposed by the project proponent, an amount of Rs. 18.7895 Crore for Phase I and Rs. 17.7095 Crore for Phase II at the rate of 0.5 percent of the project cost shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as Health Related Facilities (Construction of toilets and water tank in community as part of Swachh Bharat Abhiyan, Construction of Health Centre, Refurbishment and maintenance of existing Health Centre Organizing Health camps, Organizing Special Health Camps for eye, heart and maternal health Mobile Health Clinic), Education Related Facilities (Refurbishment of existing schools, Strengthening of ITI at Jewar and Scholarship for student), Solid waste Management Facilities (Providing VATs for Municipal Solid Waste in villages, Developing MSW disposal site with management, Providing training for solid waste management to villagers), Social Facilities (Installation of Hand-pumps, Repair and Maintenance of Handpumps/ deep tube wells used for drinking water, Construction and Maintenance of village roads per 50 km/year and Providing solar light in village common areas) and Miscellaneous Facilities (Skill Development- basic training programmes and Creation of irrigation facilities for farmers. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

PPs Submission: Complied The compliance requirement was not applicable for the reporting period, since the Commercial Operation Date (COD) of the project is 15 June 2026. Accordingly, no compliance obligation arose during the period being reported.		Date: 16/06/2026
General Conditions		
Sr.No.	Condition Type	Condition Details
1	Statutory Compliance	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
PPs Submission: Complied Permissions for groundwater withdrawal (5 borewells) have been obtained.		Date: 16/06/2026
2	Statutory Compliance	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
PPs Submission: Complied Permissions for groundwater withdrawal have been obtained.		Date: 16/06/2026
3	Statutory Compliance	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.
PPs Submission: Complied Fire NOC received: UPFS/2025/163455/GBN/GAUTAM BUDDH NAGAR/33866/DD with validity till 17-07-2028 UPFS/ 2024/ 121882/ GBN/ GAUTAM BUDDH NAGAR/ 27029/CFO with validity till 30-08-2027 Explosive License: P/CC/UP/1911401 (P557131) with validity till 31/12/2031 Remaining applications under processing and shall be obtained as per mandate		Date: 16/06/2026
4	Air Quality Monitoring And Preservation	During construction and operational phase AAQ monitoring should include PM10, PM2.5, SO2, NOx, NH3, CO, CH4 and Benzene.
PPs Submission: Complied Regular AAQ monitoring is conducted during construction.		Date: 16/06/2026
5	Air Quality Monitoring And Preservation	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10, and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the airport area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.
PPs Submission: Complied AAQ monitoring is currently undertaken two inside airport locations, including three nearby villages, covering upwind and downwind sides. An additional CAAQMS station outside the project boundary has been installed for operational phase and under commissioning.		Date: 16/06/2026
6	Air Quality Monitoring And	Soil and other construction materials should be sprayed with

	Preservation	water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.
PPs Submission: Complied Dust suppression measures are implemented, including water sprinkling on soil and construction materials during loading/unloading/transfer. These requirements have been included in the construction contracts.		Date: 16/06/2026
7	Air Quality Monitoring And Preservation	The excavation working area should be sprayed with water after operation so as to maintain the entire surface wet.
PPs Submission: Complied Excavated working areas are regularly sprayed with water post-operation. All excavated material is transported in semi-wet condition and protected with tarpaulin/green net.		Date: 16/06/2026
8	Air Quality Monitoring And Preservation	Excavated materials shall be handled and transported in a manner that they do not cause any problems of air pollution.
PPs Submission: Complied Excavated and construction materials are handled and transported only within project premises, and all vehicles are covered with tarpaulin/green net to prevent dust emissions.		Date: 16/06/2026
9	Air Quality Monitoring And Preservation	The soil/construction materials carried by the vehicle should be covered by impervious sheeting to ensure that the dusty materials do not leak from the vehicle.
PPs Submission: Complied Vehicles transporting soil and construction materials are mandated to use impervious tarpaulin covering to prevent leakage and dust emissions. Compliance is included as a contractual requirement.		Date: 16/06/2026
10	Water Quality Monitoring And Preservation	Aircraft maintenance, sensitivity of the location where activities are undertaken, and control of runoff of potential contaminants, chemicals etc shall be properly implemented and reported.
PPs Submission: Complied Drainage plan with 2 oil-water separators constructed.		Date: 16/06/2026
11	Water Quality Monitoring And Preservation	Run off from chemicals and other contaminants from aircraft maintenance and other areas within the airport shall be suitably contained and treated before disposal. A spillage and contaminant containment plan shall be drawn up and implemented to the satisfaction of the State Pollution Control Board.
PPs Submission: Complied A Spillage and Containment Management Plan is under preparation Implementation will be ensured before operational phase.		Date: 16/06/2026
12	Water Quality Monitoring And Preservation	Proper drainage systems, emergency containment in the event of a major spill during monsoon season etc. shall be provided.
PPs Submission: Complied A drainage network is connected to Oil Water separator for contain any spills. The system has been designed to meet regulatory requirements.		Date: 16/06/2026
13	Water Quality Monitoring And Preservation	The runoff from paved structures like Runways, Taxiways, can be routed through drains to oil separation tanks and

		sedimentation basins before being discharged into rainwater harvesting structures.
PPs Submission: Complied Design of oil-water separation units and sedimentation basins for runway/taxiway runoff has been incorporated in the drainage plan. De-silting chambers are also being implemented in rainwater harvesting ponds. Implementation is under progress.		Date: 16/06/2026
14	Water Quality Monitoring And Preservation	Storm water drains are to be built for discharging storm water from the air-field to avoid flooding/water logging in project area. Domestic and industrial waste water shall not be allowed to be discharged into storm water drains.
PPs Submission: Complied Dedicated storm water drains are constructed for the airfield to prevent flooding/waterlogging. Strict separation of storm water and wastewater networks has been adopted.		Date: 16/06/2026
15	Water Quality Monitoring And Preservation	Rain water harvesting for roof run-off and surface run-off, as plan submitted should be implemented. Rain water harvesting structures shall conform to CGWA designs. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.
PPs Submission: Complied Two Rainwater Harvesting Structures/Ponds are being designed and constructed as per CGWA guidelines. Pre-treatment units (de-silting chambers) are included.		Date: 16/06/2026
16	Water Quality Monitoring And Preservation	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.
PPs Submission: Complied Freshwater requirement shall not exceed approved quantities. Prior permission for borewell already obtained from competent authority.		Date: 16/06/2026
17	Water Quality Monitoring And Preservation	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point should be obtained.
PPs Submission: Complied Certificate from UPPCB will be obtained prior to airport operations for treated effluent disposal.		Date: 16/06/2026
18	Water Quality Monitoring And Preservation	A detailed drainage plan for rain water shall be drawn up and implemented.
PPs Submission: Complied A comprehensive Storm Water Drainage Plan has been prepared and implementation in progress. Major portions will be implemented before operationalization.		Date: 16/06/2026
19	Water Quality Monitoring And Preservation	No ground water shall be extracted without prior permission from CGWA.
PPs Submission: Complied Permissions for groundwater withdrawal have been obtained.		Date: 16/06/2026
20	Water Quality Monitoring And Preservation	A water security plan to the satisfaction of the CGWA shall be drawn up to include augmenting water supply and sanitation

		facilities and recharge of ground water in at least two villages and schools, as part of the C.S.R. activities.
PPs Submission: Complied Projects related to water conservation shall be undertaken as part of the Companys CSR initiatives.		Date: 16/06/2026
21	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
PPs Submission: Complied For the construction phase, monthly noise monitoring is being conducted in accordance with CPCB/MoEF CC guidelines. Results are compiled in the monthly Environmental Monitoring Reports and included in the Six-Monthly Compliance Report.		Date: 16/06/2026
22	Noise Monitoring & Prevention	Noise from vehicles and power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipment.
PPs Submission: Complied Periodic inspection checklists are implemented. Equipment/vehicles are deployed only after ensuring compliance with noise limits and fitness certifications. Preventive maintenance includes muffler upkeep and enclosures where required.		Date: 22/06/2026
23	Noise Monitoring & Prevention	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
PPs Submission: Complied All DG sets at site are provided with acoustic enclosures. Noise barriers for ground-run bays are not applicable in the construction phase. Ear plugs and PPEs are distributed to workers in high-noise areas, with compliance monitored by the HSE team.		Date: 16/06/2026
24	Noise Monitoring & Prevention	During airport operation period, noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. A monitoring station for ambient air and noise levels shall be provided in the village nearest to the airport.
PPs Submission: Complied The condition will be complied with during airport operations. A Continuous Ambient Air Quality Monitoring Station (CAAQMS) has been established and under commissioning outside the airport boundary at Dayantpur Village, UP ensuring independent and representative monitoring of ambient air quality in nearby communities. The station monitors key parameters, including PM2.5, PM10, SO2, NO2, NH3 and CO, in accordance with regulatory guidelines. Monitoring data is periodically reviewed against National Ambient Air Quality Standards (NAAQS) and baseline values. Any deviations are addressed through corrective and preventive actions, reinforcing a data-driven approach to air quality management.		Date: 16/06/2026
25	Noise Monitoring & Prevention	Where construction activity is likely to cause noise nuisance to nearby residents, restrict operation hours between 7 am to 6 pm.
PPs Submission: Complied It is being strictly monitored and complied.		Date: 16/06/2026

26	Energy Preservation Measures	Energy conservation measures like installation of LED for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.
PPs Submission: Complied Energy conservation measures are an integral part of the airports sustainable design strategy. All lighting installed to date across external areas of the project site is LED-based. Installation of additional LEDs and other energy-efficient devices (e.g., smart controls, smart light, timers, and motion sensors, solar streetlight) is under progress and will be fully operational prior to project commissioning.		Date: 16/06/2026
27	Waste Management	Notification GSR 94(E) dated 25.01.2018 of MoEF and CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities shall be complied with.
PPs Submission: Complied Dust mitigation plan prepared and measures (sprinkling, covers, barricades) implemented at site.		Date: 16/06/2026
28	Waste Management	Soil stockpile shall be managed in such a manner that dust emission and sediment runoff are minimized. Ensure that soil stockpiles are designed with no slope greater than 2:1 (horizontal/vertical).
PPs Submission: Complied Topsoil and excavated soil stockpiles are being preserved with adequate measures such as water sprinkling, tarpaulin covering, and silt fencing to control dust and runoff. Stockpiles are maintained at slopes less than 2:1 as per guidelines.		Date: 16/06/2026
29	Waste Management	The project activity shall conform to the Fly Ash notification issued under the E.P. Act of 1986.
PPs Submission: Complied Fly ash is being utilized in construction works in accordance with IS: Code provisions and mix design requirements.		Date: 16/06/2026
30	Waste Management	Solid inert waste found on construction sites consists of building rubble, demolition material, concrete; bricks, timber, plastic, glass, metals, bitumen etc shall be reused/recycled or disposed off as per Solid Waste Management Rules, 2016 and Construction and Demolition Waste Rules, 2016.
PPs Submission: Complied C and D waste is being managed in compliance with SWM Rules, 2016 and C and D Waste Rules, 2016. Segregation, reuse of rubble in filling works, and safe disposal through authorized facilities are being ensured.		Date: 16/06/2026
31	Waste Management	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
PPs Submission: Complied Waste from construction and demolition activities is being segregated and shall be disposed of in line with the Construction and Demolition Rules, 2016. The PO: 5700051658 dated 18.09.2025 is issued to C and D Waste Recycler M/s Rise Eleven Concrete Products Pvt Ltd for disposal		Date: 16/06/2026
32	Waste Management	The project proponents shall implement a management plan duly approved by the State Pollution Control Board and obtain

		its permissions for the safe handling and disposal of: a. Trash collected in flight and disposed at the airport including segregation, collection and disposed. b. Toilet wastes and sewage collected from aircrafts and disposed at the Airport. c. Wastes arising out of maintenance and workshops d. Wastes arising out of eateries and shops situated inside the airport complex. e. Hazardous and other wastes
PPs Submission: Complied The project was not operational for reporting time. A comprehensive Waste Management Plan covering flight trash, toilet waste, sewage, maintenance wastes, commercial/eatery wastes, and hazardous wastes is prepared and being submitted to competent authority.		Date: 22/06/2026
33	Waste Management	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016. Recycling of wastes such as paper, glass (produced from terminals and aircraft caterers), metal (at aircraft maintenance site), plastics (from aircrafts, terminals and offices), wood, waste oil and solvents (from maintenance and engineering operations), kitchen wastes and vegetable oils (from caterers) shall be carried out. Solid wastes shall be disposed in accordance to the Solid Waste Management Rules, 2016 as amended.
PPs Submission: Complied Segregation of construction phase solid waste is being carried out in line with SWM Rules, 2016. For the operational phase, a detailed SWM plan covering recycling and disposal streams (paper, glass, plastics, metals, kitchen waste, oil/solvents, etc.) has been prepared. Dedicated Solid Waste Management Facility is under progress. Agreement with M/s Sumeet Facilities is executed on 12 Sept 2025 for operational phase Solid Waste Management. Photo of SWM Facility under construction:		Date: 16/06/2026
34	Waste Management	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.
PPs Submission: Complied Certificate from the local municipal authority confirming adequacy of existing civic facilities for handling solid waste generated from the project has been obtained. Copy attached.		Date: 16/06/2026
35	Waste Management	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
PPs Submission: Complied CFLs and TFLs are not in use for project works. Only LED lighting has been adopted for construction and will be used for airport operations. Any e-waste generated will be handled and disposed of as per E-Waste Management Rules, 2016.		Date: 16/06/2026
36	Greenbelt	Green belt shall be developed in area as provided in project details, with native tree species in accordance with Forest Department. The greenbelt shall inter alia cover the entire periphery of the Airport.
PPs Submission: Complied Green cover development as per the guidance given. As per EC, 10 percentage (133.3 HA against 1334 HA total area) development is mandated. Plantation activities are ongoing but we have achieved mandatory 10 percentage (136 HA against 133.4 HA including undisturbed green cover) Many tree species are planted such as: Azadirachta Indica, Chukrasia Tabularis, Alstonia Scholaris,		Date: 16/06/2026

Melia Azedarach, Jacaranda Mimosifolia etc to avoid monocultural plantation.		
37	Greenbelt	Top soil shall be separately stored and used in the development of green belt.
PPs Submission: Complied Topsoil preserved and reused for plantation/landscaping.		Date: 16/06/2026
38	Public Hearing	Construction site should be adequately barricaded before the construction begins.
PPs Submission: Complied Adequate barricading of the construction site has been carried out as per regulatory requirements to restrict unauthorized entry and ensure safety. Photographic evidence is attached.		Date: 16/06/2026
39	Public Hearing	Traffic congestion near the entry and exit points from the roads adjoining the airport shall be avoided. Parking should be fully internalized and no public space should be utilized.
PPs Submission: Complied Adequate barricading of the construction site has been carried out as per regulatory requirements to restrict unauthorized entry and ensure safety. Photographic evidence is attached.		Date: 16/06/2026
40	Public Hearing	Provision of Electro-mechanical doors for toilets meant for disabled passengers. Children nursing/feeding room to be located conveniently near arrival and departure gates.
PPs Submission: Complied These requirements have been integrated into the terminal building design and implementation is under progress. Layout drawings and compliance details are attached.		Date: 16/06/2026
41	Public Hearing	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
PPs Submission: Complied A comprehensive Crisis Management Manual, Airport Emergency Plan and Disaster Management Plan (DMP), based on HIRA, have been prepared and implemented. Copies attached.		Date: 16/06/2026
42	Public Hearing	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
PPs Submission: Complied A labour colony with accommodation for approx 6000 workers has been developed within the project premises. Facilities provided include drinking water, sanitation (mobile toilets STP), medical facilities, creche, and safe cooking arrangements. Documentation attached.		Date: 16/06/2026
43	Public Hearing	An onsite disaster management plan shall be drawn up to account for risks and accidents. This onsite plan shall be dovetailed with the onsite management plan for the district.
PPs Submission: Complied A comprehensive Crisis Management Manual, Airport Emergency Plan and Disaster Management Plan (DMP), based on HIRA, have been prepared and implemented. Copies attached.		Date: 16/06/2026

44	Public Hearing	Occupational health surveillance of the workers shall be done on a regular basis.
PPs Submission: Complied A structured Occupational Health Surveillance Programme is being implemented, covering periodic medical check-ups, health records, and onsite health facilities at both construction site and labour colony.		Date: 16/06/2026
45	Corporate Environmental Responsibility	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF and CC as a part of six-monthly report.
PPs Submission: Complied Company has formulated a comprehensive Environmental Policy, duly approved by the Board of Directors, covering SOPs for checks, balances, and reporting mechanisms. The policy ensures accountability for any infringements/deviations from environmental, forest, or wildlife norms. A copy of the Environmental Policy .		Date: 16/06/2026
46	Corporate Environmental Responsibility	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
PPs Submission: Complied A dedicated Environmental Cell has been established at both project levels. The Cell is staffed with qualified personnel and is headed by a Senior Executive who directly reports to the CEO of the Company.		Date: 16/06/2026
47	Corporate Environmental Responsibility	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
PPs Submission: Complied An EMP Implementation Action Plan has been prepared and approved. Year-wise budget allocations for environmental protection have been made and maintained in a separate account.		Date: 16/06/2026
48	Corporate Environmental Responsibility	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
PPs Submission: Complied A system for annual self-environmental audits has been institutionalized. The first third-party environmental audit is scheduled as per the three-year cycle. Audit framework and action plan are attached. The last self-audit was conducted in 2nd September 2025		Date: 16/06/2026
49	Miscellaneous	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently

		advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
PPs Submission: Complied Environmental Clearance was issued on 9th March 2020. Due to the COVID-19 pandemic, the public disclosure was delayed and published in media on 30th September 2020 (Economic Times, e-newspaper) and 18th December 2020 (Indian Express, e-newspaper). The articles were published online. The Economic Time, e-newspaper https://economictimes.indiatimes.com/industry/transportation/airlines/-aviation/formal-process-of-jewar-airport-completed-got-environment-security-clearances-yamuna-authority-ceo/articleshow/78398050.cms Indian Express e-newspaper dated 18/12/2020 https://indianexpress.com/article/explained/noida-jewar-international-airport-key-features-7109827/		Date: 16/06/2026
50	Miscellaneous	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
PPs Submission: Complied Copies of EC were submitted to the concerned local bodies, Panchayats, and Municipal Authorities.		Date: 16/06/2026
51	Miscellaneous	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
PPs Submission: Complied Half-yearly compliance status reports, along with monitored environmental data, have been uploaded on the Company website. https://niairport.in/environment-clearance-compliance/		Date: 16/06/2026
52	Miscellaneous	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
PPs Submission: Complied Six-monthly compliance reports have been regularly submitted through the PARIVESH Portal.		Date: 16/06/2026
53	Miscellaneous	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
PPs Submission: Complied Environmental Statement (Form V) for FY 2025 to 26 has been submitted to the Uttar Pradesh Pollution Control Board (UPPCB) vide letter No. YIAPL 2026 275 dated 23 June 2026.		Date: 23/06/2026
54	Miscellaneous	The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx (ambient levels) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
PPs Submission: Complied Ambient air quality data is monitored and displayed near the entry gate of the project site.		Date: 16/06/2026

55	Miscellaneous	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
PPs Submission: Complied Approval of the project was done on 10th August 2021.		Date: 16/06/2026
56	Miscellaneous	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
PPs Submission: Complied Project Proponent is complying with stipulations made by UPPCB and State Government.		Date: 16/06/2026
57	Miscellaneous	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that made during their presentation to the Expert Appraisal Committee.
PPs Submission: Complied Project Proponent commits to compliance with all commitments made in EIA/EMP, Public Hearing, and EAC presentation. for Public Hearing compliance completed.		Date: 16/06/2026
58	Miscellaneous	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF and CC).
PPs Submission: Complied Agrees to the condition and comply.		Date: 16/06/2026
59	Miscellaneous	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Complied Agrees to the condition and comply.		Date: 16/06/2026
60	Miscellaneous	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
PPs Submission: Complied Agrees to the condition and comply.		Date: 16/06/2026
61	Miscellaneous	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
PPs Submission: Complied Agrees to the condition and comply.		Date: 16/06/2026
62	Miscellaneous	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office

		by furnishing the requisite data / information/monitoring reports.
PPs Submission: Complied Agrees to the condition and comply.		Date: 16/06/2026
63	Miscellaneous	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.
PPs Submission: Complied Agrees to abide by provisions of NGT Act.		Date: 16/06/2026
64	Miscellaneous	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under ,Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Complied Agrees to abide by provisions of NGT Act.		Date: 16/06/2026
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		