**Half Yearly Compliance Report**
**2026**
**01 Dec(01 Apr - 30 Sep)**

# Acknowledgement

| | |
|---|---|
| **Proposal Name** | Development of Greenfield Jewar International Airport Phase-I and II, Gautam Buddh Nagar, Uttar Pradesh |
| **Name of Entity / Corporate Office** | Yamuna International Airport Private Limited |
| **Village(s)** | N/A |
| **District** | GAUTAM BUDDHA NAGAR |

| | |
|---|---|
| **Proposal No.** | IA/UP/MIS/74694/2018 |
| **Plot / Survey / Khasra No.** | N/A |
| **State** | UTTAR PRADESH |
| **MoEF File No.** | 10-31/2018-IA-III |

| | |
|---|---|
| **Category** | INFRA-2 |
| **Sub-District** | N/A |
| **Entity's PAN** | *****2047B |
| **Entity name as per PAN** | YAMUNA INTERNATIONAL AIRPORT PRIVATE LIMITED |

## Compliance Reporting Details

| | |
|---|---|
| **Reporting Year** | 2026 |
| **Remarks (if any)** | All applicable compliance requirements for the reporting period April - Sept 2026 have been complied with and reported accordingly. |
| **Reporting Period** | 01 Dec(01 Apr - 30 Sep) |

## Details of Production and Project Area

**Name of Entity / Corporate Office** Yamuna International Airport Private Limited

| | Project Area as per EC Granted | Actual Project Area in Possession |
|---|---|---|
| Private | 1239.14 | 1239.14 |
| Revenue Land | 94.8584 | 94.8584 |
| Forest | 0 | 0 |
| Others | 0 | 0 |
| Total | 1333.9984000000002 | 1333.9984000000002 |

## Others Area

| Sr. no | Other Name | Area Granted | Area Actual |
|---|---|---|---|
| 1 | Private Land (ha.) | 1239.1416 | 1239.1416 |
| 2 | Government Land (ha.) | 94.8584 | 94.8584 |
| 3 | Forest Land (ha.) | 0 | 0 |

## Production Capacity

| Sr. no | Product Name | units | Valid Upto | Capacity | Production last year | Capacity as per CTO |
|---|---|---|---|---|---|---|
| 1 | Not Applicable | Others:Not Applicable | 31/12/2026 | Not Applicable | Not Applicable | Not Applicable |

## Conditions

### Specific Conditions

| Sr.No. | Condition Type | Condition Details |
|---|---|---|
| 1 | Miscellaneous | As proposed, Environmental Clearance is for 'Development of Greenfield Jewar International Airport' Phase-I and II, Gautam Buddh Nagar, Uttar Pradesh by M/s Directorate of Civil Aviation, Government of Uttar Pradesh. |

| | |
|---|---|
| **PPs Submission:** Complied<br>Environmental Clearance (EC) for the Phase I and Phase II development of the Greenfield Jewar International Airport has been obtained from the competent authority. Furthermore, the EC has also been transferred in the name of Yamuna International Airport Private Limited. All project activities are being undertaken in accordance with the stipulated EC conditions. | Date: 03/11/2026 |

| | | |
|---|---|---|
| 2 | Miscellaneous | The land acquisition / purchase shall be in conformity to the LARR Act, 2013 and any other laws and regulations governing land acquisition. |

| | |
|---|---|
| **PPs Submission:** Complied<br>Land acquisition for the project has been completed in accordance with the provisions of the Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement (LARR) Act, 2013 and other applicable statutory requirements by the previous PP. | Date: 22/10/2026 |

| | | |
|---|---|---|
| 3 | Miscellaneous | Clearance from Directorate General of Civil Aviation (DGCA) and Airports Authority of India (AAI) for safety and project facilities shall be obtained. |

| | |
|---|---|
| **PPs Submission:** Complied<br>Necessary clearances from the Directorate General of Civil Aviation (DGCA) and Airports Authority of India (AAI) for aviation safety and airport-related infrastructure have been obtained. | Date: 22/10/2026 |

| | | |
|---|---|---|
| 4 | Miscellaneous | Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974. |

| | |
|---|---|
| **PPs Submission:** Complied | Date: |

| | | |
|---|---|---|
| Consent to Establish (CTE) obtained from UPPCB vide Ref. No. 203970/UPPCB/Greater Noida/CTE dated 14.10.2024 with validity upto 05/08/2029. Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA no- 254936/UPPCB/Greater Noida (UPPCBRO)/CTO/both/Greater Noida/2025 (Consolidated Consent and authorization) with validity upto 31/12/2026. | | 05/10/2026 |
| 5 | Miscellaneous | Conservation plan for Birds and Fauna in consultation with Wildlife Institute of India (WII) shall be submitted within six month from grant of this clearance and shall be implemented in letter and spirit. |
| **PPs Submission:** Complied<br>Completed. Conservation plan prepared in consultation with WII and submitted. | | Date: 05/10/2026 |
| 6 | Miscellaneous | Notification GSR 94(E) dated 25.01.2018 of MoEF and CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities shall be complied with. |
| **PPs Submission:** Complied<br>Dust mitigation plan prepared and various measures such as sprinkling, green net covers, barricades etc implemented at site. | | Date: 03/11/2026 |
| 7 | Miscellaneous | Total water requirement is estimated as 17267.5 KLD, while fresh water requirement will be 3040.8 KLD. The water for the project during operation and construction phase will be drawn from Jewar distributary and Kasna STP located at Greater Noida. As proposed, no ground water shall be used in the project. |
| **PPs Submission:** Complied<br>Freshwater requirements during construction are being met through authorized sources, while treated wastewater is being utilized to the maximum extent possible. No groundwater abstraction is being undertaken for project activities. Water sourcing and consumption are being monitored regularly to ensure compliance with EC conditions. | | Date: 12/10/2026 |
| 8 | Miscellaneous | Aircraft maintenance, sensitivity of the location where activities are undertaken, and control of runoff of potential contaminants, chemicals etc shall be properly implemented and reported. |
| **PPs Submission:** Complied<br>A comprehensive storm-water drainage system integrated with oil-water separators has been installed at the project site to prevent contamination of surface runoff. Appropriate containment and housekeeping measures are implemented in areas where fuels, oils and chemicals are handled. | | Date: 12/10/2026 |
| 9 | Miscellaneous | Waste water generated from the Airport will be treated in Sewage Treatment Plant of 12 MLD capacity. Treated waste water will be used for landscaping and flushing. There will be zero discharge of treated waste water from airport. |
| **PPs Submission:** Complied<br>. A 4.5 MLD Sewage Treatment Plant (STP) based on SBR technology has been installed and is operational. Treated wastewater is being reused for landscaping, flushing and other non-potable purposes. Additional sewage treatment infrastructure will be developed in line with future operational requirements to achieve the ultimate project capacity. | | Date: 12/10/2026 |
| 10 | Miscellaneous | During construction and operational phase ambient air quality (AAQ) monitoring should include PM10, PM2.5, SO2, NOx, NH3, CO, CH4 and Benzene. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Regular AAQ monitoring is conducted. | | Date: 22/10/2026 |
| 11 | Miscellaneous | During airport operation period, noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. A monitoring station for ambient air and noise levels shall be provided in the village nearest to the airport. |
| **PPs Submission:** Complied<br>A Continuous Ambient Air Quality Monitoring Station (CAAQMS) has been established outside the airport boundary at Dayantpur Village ensuring independent and representative monitoring of ambient air quality in nearby communities. The station monitors key parameters, including PM2.5, PM10, SO2, NO2, NH3 and CO, in accordance with regulatory guidelines. Monitoring data is periodically reviewed against National Ambient Air Quality Standards (NAAQS) and baseline values. Any deviations are addressed through corrective and preventive actions, reinforcing a data-driven approach to air quality management. | | Date: 12/10/2026 |
| 12 | Miscellaneous | Traffic Management Plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time. Traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments. |
| **PPs Submission:** Complied<br>Traffic Management Plan within the Airport has been prepared. | | Date: 03/11/2026 |
| 13 | Miscellaneous | An onsite disaster management plan shall be drawn up to account for risks and accidents. This onsite plan shall be dovetailed with the onsite management plan for the district. |
| **PPs Submission:** Complied<br>Onsite DMP has been prepared and implemented. | | Date: 12/10/2026 |
| 14 | Miscellaneous | Top soil shall be separately stored and used in the development of green belt. |
| **PPs Submission:** Complied<br>Topsoil preserved and reused for plantation/landscaping. | | Date: 12/10/2026 |
| 15 | Miscellaneous | Green belt shall be developed in area as provided in project details, with native tree species in accordance with Forest Department. The greenbelt shall inter-alia cover the entire periphery of the Airport. Plantation activity should be taken up under the expert guidance for forest department of Government of Uttar Pradesh. As far as possible monocultural plantation should be avoided. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Green cover development as per the expert guidance given with native species. Many tree species are planted such as: Azadirachta indica, Chukrasia tabularis, Alstonia scholaris, Melia azedarach, Jacaranda mimosifolia etc to avoid monocultural plantation. | | Date: 22/10/2026 |
| 16 | Miscellaneous | The plantation species in and around Airport site should be carefully chosen to avoid bird nesting and to improve pollution control and noise control measures. Water intensive and/or invasive species should not be used for landscaping. |
| **PPs Submission:** Complied<br>Appropriate non-invasive, non-water-intensive species such as Azadirachta indica, Chukrasia tabularis, Alstonia scholaris, Melia azedarach, Jacaranda mimosifolia etc considered. | | Date: 12/10/2026 |
| 17 | Miscellaneous | The proposed 10 times compensatory plantation need to be monitored by the Government of Uttar Pradesh so that the target of planting 1,12,820 saplings is achieved in a time bound manner, their survival rate is monitored and mortality is replenished. In case of non-survival of any transplanted tree, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree) shall also be done and maintained. |
| **PPs Submission:** Complied<br>Funds amounting to Rs. 2,63,95,718 (for compensatory afforestation) and tree felling charges have been transferred to the Forest Department (vide cheque nos. 275502 and 275503 dated 13.12.2019). Compensatory afforestation carried out as per the approved plan under Forest Department supervision. Total tree plantation done 121820 nos. | | Date: 12/10/2026 |
| 18 | Miscellaneous | A water security plan to the satisfaction of the CGWA shall be drawn up to include augmenting water supply and sanitation facilities and recharge of ground water in at least two villages and schools, as part of the C.S.R. activities. |
| **PPs Submission:** Being Complied<br>Projects related to water conservation shall be undertaken as part of the Companys CSR initiatives. | | Date: 22/10/2026 |
| 19 | Miscellaneous | Energy conservation measures like installation of LED should be integral part of the project design and should be in place before project commissioning. |
| **PPs Submission:** Complied<br>All lights at the Airport are LED lights, which are aligned with the EC requirements adopted in the design. | | Date: 12/10/2026 |
| 20 | Miscellaneous | Initiatives such as Green Infrastructure Development program, adoption of less emission intensive technologies, renewable energy program, electrical vehicles and Airport Carbon Accreditation need to be adopted to reduce its impact on climate change and Green House Gas (GHG) emissions as per environmental best practices governing Greenfield airports. |
| **PPs Submission:** Complied<br>A 14.36 MW Solar Park installation has been completed and renewable energy generation has commenced. Solar lights installation, Electric Vehicles procured and EV charging Station are completed at the Airport. Airport Carbon Accreditation requires operational data and will therefore be undertaken after sufficient baseline operational data has been collected. | | Date: 03/11/2026 |
| 21 | Miscellaneous | Provision of Electro-mechanical doors for toilets meant for disabled passengers shall be ensured. Children nursing/feeding room shall be |

| | | |
|---|---|---|
| | | located conveniently near arrival and departure gates. |
| **PPs Submission:** Complied<br>Incorporated in design and implemented. | | Date: 12/10/2026 |
| 22 | Miscellaneous | The project proponent shall comply with the International Best Practices on environment management as applicable to the Airport project. |
| **PPs Submission:** Complied<br>Best Practices such as Utilization of LC3 cement, Nanogence catalyst, solar installation, smart lighting, air quality sensors, rainwater harvesting etc implemented at the Airport. | | Date: 22/10/2026 |
| 23 | Miscellaneous | The company shall draw up and implement a Corporate Social Responsibility Plan as per the Company's Act of 2013. |
| **PPs Submission:** Complied<br>A CSR Policy and Committee have been established to periodically review and monitor various CSR activities. | | Date: 03/11/2026 |
| 24 | Miscellaneous | As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 01.05.2018, and proposed by the project proponent, an amount of Rs. 18.7895 Crore for Phase I and Rs. 17.7095 Crore for Phase II at the rate of 0.5 percent of the project cost shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as Health Related Facilities (Construction of toilets and water tank in community as part of Swachh Bharat Abhiyan, Construction of Health Centre, Refurbishment and maintenance of existing Health Centre Organizing Health camps, Organizing Special Health Camps for eye, heart and maternal health Mobile Health Clinic), Education Related Facilities (Refurbishment of existing schools, Strengthening of ITI at Jewar and Scholarship for student), Solid waste Management Facilities (Providing VATs for Municipal Solid Waste in villages, Developing MSW disposal site with management, Providing training for solid waste management to villagers), Social Facilities (Installation of Hand-pumps, Repair and Maintenance of Handpumps/ deep tube wells used for drinking water, Construction and Maintenance of village roads per 50 km/year and Providing solar light in village common areas) and Miscellaneous Facilities (Skill Development- basic training programmes and Creation of irrigation facilities for farmers. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent. |
| **PPs Submission:** Being Complied<br>As mentioned in the EC condition, 18.7895 Crore for Phase I and 17.7095 Crore for Phase II shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as Health Related Facilities (Construction of toilets and water tank in community as part of Swachh Bharat Abhiyan, Construction of Health Centre, Refurbishment and maintenance of existing Health Centre Organizing Health camps, Organizing Special Health Camps for eye, heart and maternal health Mobile Health Clinic), Education Related Facilities (Refurbishment of existing schools, Strengthening of ITI at Jewar and Scholarship for student), Solid waste Management Facilities (Providing VATs for Municipal Solid Waste in villages, Developing MSW disposal site with management, Providing training for solid waste management to villagers), Social Facilities (Installation of Hand-pumps, Repair and Maintenance of Handpumps/ deep tube wells used for drinking water, Construction and Maintenance of village roads per 50 km/year and Providing solar light in village common areas) and Miscellaneous Facilities (Skill Development- basic training | | Date: 02/11/2026 |

| | |
|---|---|
| programmes and Creation of irrigation facilities for farmers. | |

## General Conditions

| Sr.No. | Condition Type | Condition Details |
|---|---|---|
| 1 | Statutory Compliance | The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project. |
| **PPs Submission:** Complied<br>Permissions for groundwater withdrawal (5 borewells) have been obtained. | | Date: 12/10/2026 |
| 2 | Statutory Compliance | A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained. |
| **PPs Submission:** Complied<br>PVVNL has given the grid Electricity Connection post feasibility assessment and load study. Sample invoice is enclosed. | | Date: 22/10/2026 |
| 3 | Statutory Compliance | All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities. |
| **PPs Submission:** Complied<br>Fire NOC received: UPFS/2025/163455/GBN/GAUTAM BUDDH NAGAR/33866/DD with validity till 17-07-2028 UPFS/ 2024/ 121882/ GBN/ GAUTAM BUDDH NAGAR/ 27029/CFO with validity till 30-08-2027 Explosive License: P/CC/UP/1911401 (P557131) with validity till 31/12/2031. | | Date: 22/10/2026 |
| 4 | Air Quality Monitoring And Preservation | During construction and operational phase AAQ monitoring should include PM10, PM2.5, SO2, NOx, NH3, CO, CH4 and Benzene. |
| **PPs Submission:** Complied<br>Regular AAQ monitoring is conducted. | | Date: 22/10/2026 |
| 5 | Air Quality Monitoring And Preservation | The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10, and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the airport area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions. |
| **PPs Submission:** Complied<br>AAQ monitoring is currently undertaken two inside airport locations, including three nearby villages, covering upwind and downwind sides. An additional CAAQMS station outside the project boundary has been installed for operational phase and under commissioning. Sample reports are enclosed. | | Date: 22/10/2026 |
| 6 | Air Quality Monitoring And Preservation | Soil and other construction materials should be sprayed with water prior to any loading, unloading or transfer operation so as |

| | | |
|---|---|---|
| | | to maintain the dusty material wet. |
| **PPs Submission:** Complied<br>Dust suppression measures are implemented, including water sprinkling on soil and construction materials during loading/unloading/transfer | | Date: 22/10/2026 |
| 7 | Air Quality Monitoring And Preservation | The excavation working area should be sprayed with water after operation so as to maintain the entire surface wet. |
| **PPs Submission:** Complied<br>Excavated working areas are regularly sprayed with water post-operation. All excavated material is transported in semi-wet condition and protected with tarpaulin/green net. | | Date: 23/10/2026 |
| 8 | Air Quality Monitoring And Preservation | Excavated materials shall be handled and transported in a manner that they do not cause any problems of air pollution. |
| **PPs Submission:** Complied<br>Excavated working areas are regularly sprayed with water post-operation. All excavated material is transported in semi-wet condition and protected with tarpaulin/green net ensuring no air pollution. | | Date: 23/10/2026 |
| 9 | Air Quality Monitoring And Preservation | The soil/construction materials carried by the vehicle should be covered by impervious sheeting to ensure that the dusty materials do not leak from the vehicle. |
| **PPs Submission:** Complied<br>Vehicles transporting soil and construction materials are mandated to use impervious tarpaulin covering to prevent leakage and dust emissions. | | Date: 23/10/2026 |
| 10 | Water Quality Monitoring And Preservation | Aircraft maintenance, sensitivity of the location where activities are undertaken, and control of runoff of potential contaminants, chemicals etc shall be properly implemented and reported. |
| **PPs Submission:** Complied<br>Drainage plan with 2 oil-water separators constructed. | | Date: 12/10/2026 |
| 11 | Water Quality Monitoring And Preservation | Run off from chemicals and other contaminants from aircraft maintenance and other areas within the airport shall be suitably contained and treated before disposal. A spillage and contaminant containment plan shall be drawn up and implemented to the satisfaction of the State Pollution Control Board. |
| **PPs Submission:** Complied<br>A Spillage and Containment Management Plan is prepared and submitted to State Pollution Control Board | | Date: 30/10/2026 |
| 12 | Water Quality Monitoring And Preservation | Proper drainage systems, emergency containment in the event of a major spill during monsoon season etc. shall be provided. |
| **PPs Submission:** Complied<br>A drainage network is connected to Oil Water separator for contain any spills. The system has been designed to meet regulatory requirements. | | Date: 12/10/2026 |
| 13 | Water Quality Monitoring And Preservation | The runoff from paved structures like Runways, Taxiways, can be routed through drains to oil separation tanks and sedimentation basins before being discharged into rainwater harvesting structures. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Design of oil-water separation units and sedimentation basins for runway/taxiway runoff has been incorporated. | | Date: 23/10/2026 |
| 14 | Water Quality Monitoring And Preservation | Storm water drains are to be built for discharging storm water from the air-field to avoid flooding/water logging in project area. Domestic and industrial waste water shall not be allowed to be discharged into storm water drains. |
| **PPs Submission:** Complied<br>Dedicated storm water drains are constructed for the airfield to prevent flooding/waterlogging. Strict separation of storm water and wastewater networks has been adopted. | | Date: 12/10/2026 |
| 15 | Water Quality Monitoring And Preservation | Rain water harvesting for roof run-off and surface run-off, as plan submitted should be implemented. Rain water harvesting structures shall conform to CGWA designs. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. |
| **PPs Submission:** Complied<br>Two Rainwater Harvesting Structures/Ponds are developed as per applicable guidelines. | | Date: 23/10/2026 |
| 16 | Water Quality Monitoring And Preservation | Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water. |
| **PPs Submission:** Complied<br>Freshwater requirement shall not exceed approved quantities. Prior permission for borewell already obtained from competent authority. | | Date: 12/10/2026 |
| 17 | Water Quality Monitoring And Preservation | A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point should be obtained. |
| **PPs Submission:** Complied<br>Shall be ensured. | | Date: 03/11/2026 |
| 18 | Water Quality Monitoring And Preservation | A detailed drainage plan for rain water shall be drawn up and implemented. |
| **PPs Submission:** Complied<br>A comprehensive Storm Water Drainage Plan has been prepared and implemented. | | Date: 12/10/2026 |
| 19 | Water Quality Monitoring And Preservation | No ground water shall be extracted without prior permission from CGWA. |
| **PPs Submission:** Complied<br>Permissions for groundwater withdrawal have been obtained. | | Date: 12/10/2026 |
| 20 | Water Quality Monitoring And Preservation | A water security plan to the satisfaction of the CGWA shall be drawn up to include augmenting water supply and sanitation facilities and recharge of ground water in at least two villages and schools, as part of the C.S.R. activities. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Projects related to water conservation shall be undertaken as part of the Company CSR initiatives. | | Date: 12/10/2026 |
| 21 | Noise Monitoring & Prevention | Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report. |
| **PPs Submission:** Complied<br>Monthly noise monitoring is being conducted in accordance with CPCB/MoEF guidelines. Results are compiled and shared as part six-monthly compliance report. Sample test reports are enclosed. | | Date: 02/11/2026 |
| 22 | Noise Monitoring & Prevention | Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources. |
| **PPs Submission:** Complied<br>All DG sets at site are provided with acoustic enclosures. Ear plugs and PPEs are distributed to workers in high-noise areas, with compliance monitored by the HSE team. | | Date: 23/10/2026 |
| 23 | Noise Monitoring & Prevention | During airport operation period, noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. A monitoring station for ambient air and noise levels shall be provided in the village nearest to the airport. |
| **PPs Submission:** Complied<br>The condition is complying and noise levels are within prescribed standards. A Continuous Ambient Air Quality Monitoring Station (CAAQMS) has been established and under commissioning outside the airport boundary at Dayantpur Village, UP ensuring independent and representative monitoring of ambient air quality in nearby communities. The station monitors key parameters in accordance with the guidelines. | | Date: 23/10/2026 |
| 24 | Noise Monitoring & Prevention | Where construction activity is likely to cause noise nuisance to nearby residents, restrict operation hours between 7 am to 6 pm. |
| **PPs Submission:** Complied<br>It is being strictly monitored and complied. | | Date: 12/10/2026 |
| 25 | Energy Preservation Measures | Energy conservation measures like installation of LED for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. |
| **PPs Submission:** Complied<br>Energy conservation measures are an integral part of the airports sustainable design strategy. All lighting installed to date across external areas of the project site is LED-based. Installation of additional LEDs and other energy-efficient devices (e.g., smart controls, smart light, timers, and motion sensors, solar streetlight) is completed before start of operations. | | Date: 23/10/2026 |
| 26 | Waste Management | Notification GSR 94(E) dated 25.01.2018 of MoEF and CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities shall be complied with. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Dust mitigation plan prepared and measures (sprinkling, covers, barricades) implemented. | | Date: 23/10/2026 |
| 27 | Waste Management | Soil stockpile shall be managed in such a manner that dust emission and sediment runoff are minimized. Ensure that soil stockpiles are designed with no slope greater than 2:1 (horizontal/vertical). |
| **PPs Submission:** Complied<br>Topsoil and excavated soil stockpiles are being preserved with adequate measures such as water sprinkling, tarpaulin covering, and silt fencing to control dust and runoff. Stockpiles are maintained at slopes less than 2:1 as per guidelines. | | Date: 12/10/2026 |
| 28 | Waste Management | The project activity shall conform to the Fly Ash notification issued under the E.P. Act of 1986. |
| **PPs Submission:** Complied<br>Fly ash is being utilized in construction works in accordance with IS: Code provisions and mix design requirements. | | Date: 12/10/2026 |
| 29 | Waste Management | Solid inert waste found on construction sites consists of building rubble, demolition material, concrete; bricks, timber, plastic, glass, metals, bitumen etc shall be reused/recycled or disposed off as per Solid Waste Management Rules, 2016 and Construction and Demolition Waste Rules, 2016. |
| **PPs Submission:** Complied<br>C and D waste is being managed in compliance with C and D Waste Rules, 2016 and 2026; Solid Waste is manged with Solid Waste Management Rules 2026. Segregation, reuse of rubble in filling works, and safe disposal through authorized facilities are being ensured. | | Date: 12/10/2026 |
| 30 | Waste Management | Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016. |
| **PPs Submission:** Complied<br>Waste from construction and demolition activities is being segregated and disposed of in line with the Construction and Demolition Rules, 2016. | | Date: 23/10/2026 |
| 31 | Waste Management | The project proponents shall implement a management plan duly approved by the State Pollution Control Board and obtain its permissions for the safe handling and disposal of: a. Trash collected in flight and disposed at the airport including segregation, collection and disposed. b. Toilet wastes and sewage collected from aircrafts and disposed at the Airport. c. Wastes arising out of maintenance and workshops d. Wastes arising out of eateries and shops situated inside the airport complex. e. Hazardous and other wastes |
| **PPs Submission:** Complied<br>A comprehensive Waste Management Plan covering flight trash, toilet waste, sewage, maintenance wastes, commercial/eatery wastes, and hazardous wastes is submitted to competent authority (UPPCB RO Greater Noida office). | | Date: 23/10/2026 |
| 32 | Waste Management | The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016. Recycling of wastes such as paper, glass (produced from terminals and aircraft caterers), metal (at aircraft maintenance site), plastics (from aircrafts, terminals and offices), wood, waste oil and solvents (from |

| | | |
|---|---|---|
| | | maintenance and engineering operations), kitchen wastes and vegetable oils (from caterers) shall be carried out. Solid wastes shall be disposed in accordance to the Solid Waste Management Rules, 2016 as amended. |
| **PPs Submission:** Complied<br>Segregation of solid waste is being carried out in line with SWM Rules, 2016 and Amendment of 2026 as per effective date. For the operational phase, a detailed SWM plan covering recycling and disposal streams (paper, glass, plastics, metals, kitchen waste, oil/solvents, etc.) has been prepared. Dedicated Solid Waste Management Facility has been setup. Agreement with M/s Sumeet Facilities is executed on 12 Sept 2025 for Solid Waste Management. | | Date: 23/10/2026 |
| 33 | Waste Management | A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project. |
| **PPs Submission:** Complied<br>YIAPL has setup in house Solid Waste Management Facility. Dry-waste generated is treated through Organic Waste Converter and Solid Waste is getting recycled through authorised recyclers. | | Date: 02/11/2026 |
| 34 | Waste Management | Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. |
| **PPs Submission:** Complied<br>CFLs and TFLs are not used for the project works. Only LED lighting has been adopted for construction and used for airport operations. Any e-waste generated is being handled and disposed of as per E-Waste Management Rules, 2016 and other applicable guidelines. | | Date: 23/10/2026 |
| 35 | Greenbelt | Green belt shall be developed in area as provided in project details, with native tree species in accordance with Forest Department. The greenbelt shall inter alia cover the entire periphery of the Airport. |
| **PPs Submission:** Complied<br>Green cover development as per the expert guidance given with native species. Many tree species are planted such as: Azadirachta indica, Chukrasia tabularis, Alstonia scholaris, Melia azedarach, Jacaranda mimosifolia etc to avoid monocultural plantation. | | Date: 23/10/2026 |
| 36 | Greenbelt | Top soil shall be separately stored and used in the development of green belt. |
| **PPs Submission:** Complied<br>Topsoil preserved and reused for plantation/landscaping. | | Date: 12/10/2026 |
| 37 | Public Hearing | Construction site should be adequately barricaded before the construction begins. |
| **PPs Submission:** Complied<br>Adequate barricading of the construction site has been carried out as per regulatory requirements to restrict unauthorized entry and ensure safety. | | Date: 12/10/2026 |
| 38 | Public Hearing | Traffic congestion near the entry and exit points from the roads adjoining the airport shall be avoided. Parking should be fully internalized and no public space should be utilized. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Required manpower deployed at entry/exit points. Parking facility provided within the project. | | Date: 23/10/2026 |
| 39 | Public Hearing | Provision of Electro-mechanical doors for toilets meant for disabled passengers. Children nursing/feeding room to be located conveniently near arrival and departure gates. |
| **PPs Submission:** Complied<br>Required provisioning is done for mentioned facilities | | Date: 03/11/2026 |
| 40 | Public Hearing | Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented. |
| **PPs Submission:** Complied<br>A comprehensive Crisis Management Manual, Airport Emergency Plan and Disaster Management Plan (DMP), based on HIRA, have been prepared and implemented. | | Date: 12/10/2026 |
| 41 | Public Hearing | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project. |
| **PPs Submission:** Complied<br>A labour colony has been developed within the project premises. Facilities provided include drinking water, sanitation, STP, medical facilities, and safe cooking arrangements. Creche facility also provided in NIA Project office. | | Date: 23/10/2026 |
| 42 | Public Hearing | An onsite disaster management plan shall be drawn up to account for risks and accidents. This onsite plan shall be dovetailed with the onsite management plan for the district. |
| **PPs Submission:** Complied<br>A comprehensive Crisis Management Manual, Airport Emergency Plan and Disaster Management Plan (DMP), based on HIRA, have been prepared and implemented. | | Date: 12/10/2026 |
| 43 | Public Hearing | Occupational health surveillance of the workers shall be done on a regular basis. |
| **PPs Submission:** Complied<br>A structured Occupational Health Surveillance Programme was implemented, covering periodic medical check-ups, health records, and onsite health facilities at both construction site and labour colony. | | Date: 23/10/2026 |
| 44 | Corporate Environmental Responsibility | The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF and CC as a part of six-monthly report. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Company has formulated a comprehensive Environmental Policy, duly approved by the Board of Directors. | | Date: 30/10/2026 |
| 45 | Corporate Environmental Responsibility | A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization. |
| **PPs Submission:** Complied<br>A dedicated Environmental Cell has been established. The Cell is staffed with qualified personnel and is headed by a Senior Executive who directly reports to the Chief Infrastructure officer of the Company. | | Date: 23/10/2026 |
| 46 | Corporate Environmental Responsibility | Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report. |
| **PPs Submission:** Complied<br>Various Environment SOPs has been prepared. Year-wise budget allocations for environmental protection have been made and maintained in a separate account through Company ERP Portal (SAP). | | Date: 23/10/2026 |
| 47 | Corporate Environmental Responsibility | Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out. |
| **PPs Submission:** Complied<br>A system for annual self-environmental audits has been institutionalized. The third-party environmental audit and Internal Self Audit are being conducted as per required frequency. | | Date: 03/11/2026 |
| 48 | Miscellaneous | The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently. |
| **PPs Submission:** Complied<br>Environmental Clearance was issued on 9th March 2020. Due to the COVID-19 pandemic, the public disclosure was delayed and published in media on 30th September 2020 (Economic Times, e-newspaper) and 18th December 2020 (Indian Express, e-newspaper). The articles were published online. The Economic Time, e-newspaper https://economictimes.indiatimes.com/industry/transportation/airlines-/-aviation/formal-process-of-jewar-airport-completed-got-environment-security-clearances-yamuna-authority-ceo/articleshow/78398050.cms Indian Express e-newspaper dated 18/12/2020 https://indianexpress.com/article/explained/noida-jewar-international-airport-key-features-7109827/ | | Date: 12/10/2026 |
| 49 | Miscellaneous | The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt. |

| | | |
|---|---|---|
| **PPs Submission:** Complied<br>Copies of EC were submitted to the concerned local bodies, Panchayats, and Municipal Authorities. | | Date: 12/10/2026 |
| 50 | Miscellaneous | The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis. |
| **PPs Submission:** Complied<br>Half-yearly compliance status reports, along with monitored environmental data, have been uploaded on the Company website. https://niairport.in | | Date: 03/11/2026 |
| 51 | Miscellaneous | The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal. |
| **PPs Submission:** Complied<br>Six-monthly compliance reports have been regularly submitted through the PARIVESH Portal. | | Date: 12/10/2026 |
| 52 | Miscellaneous | The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. |
| **PPs Submission:** Complied<br>Environmental Statement (Form V) for FY 2025-26 has been submitted to the Uttar Pradesh Pollution Control Board (UPPCB) vide letter No. YIAPL 2026 275 dated 23 June 2026. | | Date: 23/10/2026 |
| 53 | Miscellaneous | The criteria pollutant levels namely; PM10, PM2 .5, SO2, NOx (ambient levels) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. |
| **PPs Submission:** Complied<br>Ambient air quality data is monitored and displayed near the Kishorepur entry gate of the premises. | | Date: 03/11/2026 |
| 54 | Miscellaneous | The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project. |
| **PPs Submission:** Complied<br>Concession Agreement between Yamuna International Airprot Private Limited and Noida International Airport Ltd was signed on 7th Oct 2020. Plan Approval of the project was done on 10th August 2021. The operations commenced on 15th June 2026. | | Date: 23/10/2026 |
| 55 | Miscellaneous | The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government. |
| **PPs Submission:** Complied<br>Project Proponent is complying with stipulations made by UPPCB, DGCA and State Government. | | Date: 12/10/2026 |
| 56 | Miscellaneous | The project proponent shall abide by all the commitments and |

| | | |
|---|---|---|
| | | recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that made during their presentation to the Expert Appraisal Committee. |
| **PPs Submission:** Complied<br>Shall be complied. | | Date: 03/11/2026 |
| 57 | Miscellaneous | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF and CC). |
| **PPs Submission:** Complied<br>Agrees to the condition and comply. | | Date: 12/10/2026 |
| 58 | Miscellaneous | Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986. |
| **PPs Submission:** Complied<br>Agrees to the condition and comply. | | Date: 12/10/2026 |
| 59 | Miscellaneous | The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory. |
| **PPs Submission:** Complied<br>Agrees to the condition and comply. | | Date: 12/10/2026 |
| 60 | Miscellaneous | The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. |
| **PPs Submission:** Complied<br>Agrees to the condition and comply. | | Date: 12/10/2026 |
| 61 | Miscellaneous | The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports. |
| **PPs Submission:** Complied<br>Agrees to the condition and comply. | | Date: 12/10/2026 |
| 62 | Miscellaneous | The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter. |
| **PPs Submission:** Complied<br>Agrees to the condition and comply. | | Date: 12/10/2026 |

| | | |
|---|---|---|
| 63 | Miscellaneous | Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under ,Section 16 of the National Green Tribunal Act, 2010. |

| | |
|---|---|
| **PPs Submission:** Complied<br>Agrees to abide by provisions of NGT Act. | Date:<br>12/10/2026 |

| | | |
|---|---|---|
| 64 | Noise Monitoring & Prevention | Noise from vehicles and power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipment. |

| | |
|---|---|
| **PPs Submission:** Complied<br>Periodic inspection checklists are implemented. Equipment/vehicles are deployed only after ensuring compliance with noise limits and fitness certifications. Preventive maintenance includes muffler upkeep and enclosures wherever required | Date:<br>03/11/2026 |

## Visit Remarks

| | |
|---|---|
| **Last Site Visit Report Date:** | N/A |
| **Additional Remarks:** | |

**Note:** This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.